

## ToLEDo Vintage ST64


TOLEDO™ VINTAGE ST64 250LM E27 SL

0027980



### Product features

- New and innovative Flexible Filament Chip Technology (FFCT) designed to create the low-lit vintage effect.
- Perfect for hotels, restaurants, heritage lighting, bars and decorative applications.
- The ideal LED solution to replace incandescent vintage ST64 lamp.
- Low glare – suitable for low height installation.
- 2000K colour temperature, to create a cosy ambience.
- Golden tinted glass envelope.
- 15,000 hours average rated life. Last 7.5 times longer than incandescent vintage lamps.
- Unique filament construction design – 'Flow' shape.
- Omni-directional light distribution – 300°.
- Low-lumen output to create low-lit effect – 250lm.
- More than 100,000X switching cycles.
- 3 years warranty.
- Environment friendly – no mercury and lower CO2 emissions.



### PRODUCT OVERVIEW

Product code	0027980
Product name	TOLEDO™ VINTAGE ST64 250LM E27 SL
Technology	LED
Watt (Rated) (W)	5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer,
Certifications	EUTIE103
ETIM Class	EC001959
Luminous flux (lm)	250
Colour temperature (K)	2000
Light colour	Candlelight 820
CRI (Ra)	80
Wattage (W)	5
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288279800

### DATA TABLE

#### General data

Product code	0027980
Product name	TOLEDO™ VINTAGE ST64 250LM E27 SL
Technology	LED
Watt (Rated) (W)	5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer,

# ToLEDo Vintage ST64

TOLEDO™ VINTAGE ST64 250LM E27 SL

**0027980**

<b>Operating Temperature Range (°C)</b>	25
<b>Certifications</b>	EUTIE103
<b>ETIM Class</b>	EC001959

## Optical data

<b>Luminous flux (lm)</b>	250
<b>Luminous flux (Rated) (lm)</b>	250
<b>Colour temperature (K)</b>	2000
<b>Light colour</b>	Candlelight 820
<b>CRI (Ra)</b>	80
<b>Beam angle (Rated) (°)</b>	360

## Electrical data

<b>Wattage (W)</b>	5
<b>Starting time (max) (s)</b>	0.5
<b>Warm-up time to 60% of full light (max) (s)</b>	1
<b>Product Voltage (V)</b>	230
<b>Lamp power factor</b>	0.5
<b>No. Of switching cycles before premature failures</b>	50000
<b>Lamp Energy Label (class)</b>	A
<b>kWh per 1000 hours burning time</b>	5
<b>Nominal Frequency (Hz)</b>	50Hz

## Lifetime data

<b>Average life (Nominal) (h)</b>	15000
<b>Average life (Rated) (h)</b>	15000

## Physical data

<b>Nominal Product Length (mm)</b>	140
<b>Nominal Product Diameter (mm)</b>	64
<b>Weight (kg)</b>	0.106

## Packaging

<b>Single packaging type</b>	Carton
<b>Product EAN number</b>	5410288279800
<b>Packaging single length (cm)</b>	7.0
<b>Packaging single width (cm)</b>	7.0
<b>Packaging single height (cm)</b>	15.2
<b>DUN14 (inner)</b>	25410288279804
<b>Units per inner package</b>	6
<b>Packaging inner length (cm)</b>	16.2

## ToLEDo Vintage ST64

TOLEDO™ VINTAGE ST64 250LM E27 SL

**0027980**


<b>Packaging inner width (cm)</b>	14.7
<b>Packaging inner height (cm)</b>	21.8
<b>DUN14 (outer)</b>	15410288279807
<b>Units per outer package</b>	60
<b>Packaging outer length (cm)</b>	76.5
<b>Packaging outer width (cm)</b>	23.3
<b>Packaging outer height (cm)</b>	35.0

### Safety data

<b>Breakage cleaning instructions</b>	Not applicable
<b>Special purpose lamp</b>	No
<b>Dry applications use only</b>	Yes
<b>Suitable for household illumination</b>	Yes
<b>Safety message</b>	Not Suitable for totally enclosed fixtures

## PHOTOMETRY

## TECHNICAL DRAWINGS



## ToLEDo Vintage ST64

TOLEDO™ VINTAGE ST64 250LM E27 SL

0027980

